

	EVO	FLASH	VPS	SUPER	LIGHT	SPLASH	SUITABLE FOR	NOT SUITABLE FOR
Viton® Rubber	X			X			<ul style="list-style-type: none"> • Acids, all concentrations • Alcohols, long chain • Aliphatic HC* • Aromatic HC* • Chlorinated HC* • Benzenes 	<ul style="list-style-type: none"> • Ester • Aldehydes & Ketones • Nitriles
Butyl Rubber	X			X			<ul style="list-style-type: none"> • Acids, all concentrations • Alcohols, all types • Ester • Aldehydes & Ketones • Nitriles • Plasticisers • Low gas permeability 	<ul style="list-style-type: none"> • Aliphatic HC* • Aromatic HC* • Chlorinated HC*
Chloroprene Rubber		X	X				<ul style="list-style-type: none"> • Acids, dilute to medium conc. • Alkaline, all concentrations • Alcohols, long-chain • Aliphatic HC* 	<ul style="list-style-type: none"> • Aromatic HC* • Chlorinated HC* • Aldehydes & Ketones • Benzenes
Barrier Laminate	X	X	X				<ul style="list-style-type: none"> • Extremely low gas permeability • Acids, dilute to medium conc. • Alkaline, dilute to medium conc. • Alcohols • Aliphatic HC* (most) • Aromatic HC* (most) 	<ul style="list-style-type: none"> • Aliphatic HC* (some) • Aromatic HC* (some) • Chlorinated HC*
PVC					X	X	<ul style="list-style-type: none"> • Acids, dilute to medium conc. • Alkaline, dilute to medium conc. • Alcohols, long-chain • Aliphatic HC* 	<ul style="list-style-type: none"> • Aromatic HC* • Chlorinated HC* • Aldehydes & Ketones • Benzenes

*HC= Hydrocarbons, i.e. typically organic solvents.

Ansell Protective Solutions

Arenagatan 8B, 215 33 Malmö, Sweden

Tel: +46 (0)10 205 1800

order.protective@ansell.com | <http://protective.ansell.com>

® and ™ are trademarks owned by Ansell Limited or one of its affiliates. ©2018 Ansell Limited. All Rights Reserved.